


Technical Data Sheet

Page: 1/2

PFB Fensterbankkanal

- Material: PVC hard, lead and cadmium free
- Bottom perforation in two rows
- 2 or 4 ratchet rails for fastening dividers or built-in sockets
- Electrical properties:
 - Dielectric strength according to VDE 0303-2: > 20 kV/mm - Surface resistance according to VDE 0303-30: > 1E12 Ω
 - Specific contact resistance according to VDE 0303-30: > 1E15 Oh
- Mechanical properties:
 - Tensile strength according to DIN EN ISO 527: > 45 N/mm²
 - Bending strength according to DIN EN ISO 178: > 70 N/mm²
 - Notched impact strength according to DIN EN ISO 179: > 15 kJ/m²
 - Tensile modulus of elasticity according to DIN EN ISO 527: 3,300 N/mm²
- Application temperature range: -20°C to +65°C
- Fire conditions according to DIN 4102-1 / flame retardant
- Chemical resistance: Good resistance to chemical influences
- Standard delivery length: 2,000 mm +/- 5 mm, incl. lid



Information

Art.-No.	ID-No.	Type	VPE/m	Nennmaß (BXH)	Dimensions (WxH)	Aufrastschienen	Colour
05100341	050471	PFB 60110 RW	2 / 16	110x60 mm	107x60 mm	2	pure white, RAL: 9010
05100344	050474	PFB 60130 RW	2 / 16	130x60 mm	129x60 mm	2	pure white, RAL: 9010
05100347	050477	PFB 60150 RW	2 / 8	150x60 mm	150x60 mm	4	pure white, RAL: 9010
05100350	050480	PFB 60190 RW	2 / 8	190x60 mm	190x60 mm	4	pure white, RAL: 9010
05100342	050472	PFB 60110 CW	2 / 16	110x60 mm	107x60 mm	2	cream white, RAL: 9001
05100345	050475	PFB 60130 CW	2 / 16	130x60 mm	129x60 mm	2	cream white, RAL: 9001

05100348	050478	PFB 60150 CW	2 / 8	150x60 mm	150x60 mm	4	cream white, RAL: 9001
05100351	050481	PFB 60190 CW	2 / 8	190x60 mm	190x60 mm	4	cream white, RAL: 9001
05100340	050470	PFB 60110 LG	2 / 16	110x60 mm	107x60 mm	2	light grey, RAL: 7035
05100343	050473	PFB 60130 LG	2 / 16	130x60 mm	129x60 mm	2	light grey, RAL: 7035
05100346	050476	PFB 60150 LG	2 / 8	150x60 mm	150x60 mm	4	light grey, RAL: 7035
05100349	050479	PFB 60190 LG	2 / 8	190x60 mm	190x60 mm	4	light grey, RAL: 7035

Technical Data Sheet

Page: 2/2

PFB Fensterbankkanal

Profi-
Tipp

See also:

- PDK replacement lid for PFB (Art.- Nope. 05101691 - 05101702)
(ID- Nope. 052121 - 052132)
- PFBES end pieces for PFB (Art.- Nope. 05100388 - 05100389)
(ID- Nope. 050518 - 050519)
- PFBFW flat angle for PLF (Art.- Nope. 05100376 - 05100387)
(ID- Nope. 050506 - 050517)
- PFB AE outer corners for PLF (Art.- Nope. 05100364 - 05100372)
(ID- Nope. 050494 - 050502)
- PFB IE inner corners for PLF (Art.- Nope. 05100352 - 05100363)
(ID- Nope. 050482 - 050493)
- PFB TW partition walls for PLF, PFB and PBR (Art.- Nope. 05100983 + 05100400)
(ID-No. 051293 + 050530)



PDK




PFBES



PFBFW



PFB AE



PFB IE



PFB TW

